

(EQUIPMENT LIST DATED 30.11.19)

**Ref # SP/19/11/E7/051**

**CONNECTING ROD FOR AUX. ENGINE-DIAHATSU, 8DK-32: -**

Sr.No.	Description	Qty. Avble	Condition
01	Connecting Rod	16 Pcs.	Used , MPI, Ovality check will be done on order confirmation



**Ref # SP/FA/19/11/051**

**M.V."BOND" BEACHED AT THE INDIAN DEMOLITION YARDS (LIST OF THE VARIOUS ITEMS): -**

<b>Main Engine</b>	<b>04 Sets</b>	
	<b>Make &amp; Type/Model</b>	<b>Ruston English Electric, 12RK3CM, No. of Cyl.: -, Max. Cont. Out Put: ---, Eng. No.: IH8133, Wt.: Kg, Year: 1974</b>
	<b>Turbocharger</b>	<b>Make: -, Type: - Spec. No.: -, Nmax.: 1/S, Temp: - 0 C, Sr. No.: -, Wt.: - Kg, Year: -</b>
	<b>Governor</b>	<b>Make: Europa, Type: 2231-1GL- 15MBAAQCCVAA,</b>

		Part No.: -, Speed:- Rpm, Air Press.:- Psi, Sr. No.: RP-222, vOLT: 24
	Oil Mist Detector	Make: , Type: , Art. No.: -, Sr. No.: -
	Turning Gear	Make: IMT, Type: Plate Not Clean Motor Power: Kw, Torque: -, Ratio: -, Sr. No.: -, Year: --
	M/E-Spares	Cylinder Liner (11 Pcs. ), Fuel Pump (01 Pc.), Oil Pump (04 Pcs.), Cylinder Head (By Lot.), Injectors (09 Pcs.), Connecting Rod (01 Pc.), Piston (03 Pc.), Piston Ring (By Lot), (All spares used)
<b>Diesel Generator</b>	02 + 01 Sets	
	Make & Model	Dorman, 12QBTCA & Caterpillar, 3508 (No Tag) Rated Output: - Kw at Rpm: -, Eng./Sr. No.: 12187-0274-028 & 06700z69, Year: -
	Turbocharger	Make: -, Type: - Spec. No.: -, Rpm: -, Temp.: - Deg. Cel., Sr. No.: -. Mfg.: -
	Governor	Make: -- & Woodward, Type: - & - Part No.: - & 8250-565, Rpm: -, Sr. No.: - & 2570714, Mfg: -
	Alternator	Make: Siemens, Type: 1FB3304 Kva: 500, Kw: - Volt: 460, Rpm: 1260/1200, Hz: 60, Amp: 630, PF: 0.8, Wt.: --, Mfg.: -
<b>Air Compressor</b>	05 Nos.	
	Air Compressor	Make: Hamworthy, Type: Unclear Tag (01 Pc. + 01 Pc. Open) Cap.: - Cfm/- M3/Hr, Press.:- Bar/- Psi, Sr. No.: --, Kw/Rpm: -, Year: - Elec. Motor: Make: -, Type: - Kw: -, V: -, Amp: -, HZ: -, Rpm: -, Year: -
	Air Compressor (With Tank)	Make: -, Type/Model: - Cap.: - M3/Hr, Press.: - Barg, Rpm: -, Power: - Kw, Sr. No.: -, Year: - Electric Motor: Make: -, Type: - Kw: -, V: -, Amp: --, HZ: -, Rpm: -, Wt.: - Kg,
	Emergency Air Compressor	Make: -, Type/Model: - Cap.: - M3/Hr, Press.: - Bar, Rpm: -, Power: - Kw, Sr. No.: -, Year Motor: Make & Type: --
<b>Oil Purifiers</b>	02 Pcs.	

	<b>Make &amp; Type</b>	<b>Alfa-Laval, MAB-204S-24-60/4048-10</b> <b>Cap.: - L/Hr, Rpm/Rc: 1700-1800/142-150,</b> <b>Motor : ---- Kw, Wt.: - Kg., Sr. No.: 2966086,</b> <b>Year: -</b>
	<b>EPC Panel</b>	<b>Make : ---, Type: --</b>
<b>Emergency Diesel Generator</b>	<b>01 Set</b>	
	<b>Make &amp; Model</b>	<b>Dorman, 6LDT</b> <b>Rating: Hp--, Rpm: -, Sr. No.: S602312, Year:</b> <b>-</b>
	<b>Alternator</b>	<b>Make: Siemens, Type: 1FA4316</b> <b>Kva: 144, Kw: -, Volt: 460,, Hz: 60, Amp:</b> <b>180, Rpm: 1890/1800, PF: 0.8, Wt.:0.8 Ton,</b> <b>Year: -</b>
<b>Fresh Water Distiller (Generator)</b>	<b>-</b>	
	<b>Make &amp; Type/Model</b>	<b>-</b> <b>Cap.: -M3/24H, Unit No.: -, Year: -</b>
	<b>Salinometer Panel</b>	<b>Make: -, Model: --</b>
<b>Oily Water Separator</b>	<b>01 Pc.</b>	
	<b>Make &amp; Model</b>	<b>Wartsila, Senitec M-2500</b> <b>Flow/Cap.: 2500 L/hr, Max. Working Press.:</b> <b>- Bar, Net Wt.: - Kg, Sr. No.:SL-8016, Year:</b> <b>2012</b>
	<b>OMD Panel</b>	<b>Make:EBARA, Type/Model: EVM311N5,</b> <b>Sr. No.: 10NB02SF2, Year: --</b>
<b>Chilling Compressor/Air Conditioning Unit</b>	<b>----</b>	
	<b>Refrigeration/Chilling Compressor</b>	<b>Make : - , Type/Model: -</b> <b>Cap. - M3/Hr, Rpm: - , Press.: - Bar, Sr. No.: -</b> <b>, Year: -</b>
	<b>Small Chilling Compressor</b>	<b>Make: , Model: -</b> <b>Sr. No.: -, Net Wt.: Kg, Year: -</b>
<b>Plate Heat Exchanger</b>	<b>-</b>	
	<b>Make &amp; Type</b>	<b>-</b> <b>Sr. No.:-, Year: -</b>

Ref # SP/19/11/E6/035

**PISTON CROWN FOR M/E-MAN B & W, 6S60MC: -**

Sr.No.	Description	Qty. Available (Pcs.)	Condition
01	<b>Piston Crown</b> <b>Stamping:-</b> <b>K840-3B</b> <b>NK 496 OY</b> <b>F1 08-96</b> <b>T.P. 7 BAR</b> <b>08-96</b> <b>(P) 1725</b>	01	Unused
02.	<b>Piston Crown</b> <b>Stamping:-</b> <b>ZYP 2757 / 2736</b>	02	Unused
03.	<b>Piston Crown</b> <b>Stamping:-</b> <b>(WM) J12 1541</b> <b>B LRBUS1209468/2 72K</b> <b>WTP 10 BAR A00694-</b> <b>PC09</b> <b>16 08 12 WTP 7</b> <b>BAR</b> <b>IMO NO. 8308123 09-11-12</b> <b>(A)</b> <b>101406S 10045835-0</b>	03	USED / READY TO USE



Ref # SP/FA/19/11/052

**M.V."LUCIA" BEACHED AT THE INDIAN DEMOLITION YARDS (LIST OF THE VARIOUS ITEMS): -**

<b>Main Engine</b>	<b>04 Sets</b>	
	<b>Make &amp; Type/Model</b>	MAN B & W, 6L60MC (No Tag) No. of Cyl.: 6, Max. Cont. Out Put: ---, Eng. No.: -, Wt.: Kg, Year: -
	<b>Turbocharger</b>	Make: BBC, Type: VTR564 (No Tag) Spec. No.: -, Nmax.: 1/S, Temp: - 0 C, Sr. No.: -, Wt.: - Kg, Year: -
	<b>Governor</b>	Make: Woodward, Type: PGA-300, Part No.:B8574-127, Speed:300-1250 Rpm, Air Press.:7.25-72.5 Psi, Sr. No.: 2224891
	<b>Oil Mist Detector</b>	Make: Graviner, Type: MK-5, Part No.: 53561-221, Sr. No.: 2178, Year: 1989
	<b>Turning Gear</b>	Make: -, Type: - Motor Power: Kw, Torque: -, Ratio: -, Sr. No.: -, Year: --
	<b>M/E-Spares</b>	Cylinder Liner (01 Pc. Length: 2280mm ), Valve Cage (03 Pcs.), Valve Seat (02 Pcs.), Valve Spindle (03 Pcs. Used & Recond.), Fuel Pump (01 Pc. Recond.), Water Jacket (01 Pc. Recond.), Cylinder Head (01 Pc. Recond.), Skirt (01 Pc. Recond.), Piston Rod (01 Pc. Recond.), Fuel Pipe (01 Pc.), (All spares used)
<b>Diesel Generator</b>	<b>04 Sets</b>	
	<b>Make &amp; Model</b>	MAN B & W, 5L28/32A Rated Output: - 1428 Hp/1050 Kw at Rpm: 720, Eng./Sr. No.: 28029-30-31-32, Year: 1990
	<b>Turbocharger</b>	Make: MAN B & W, Type: NR20/R156 Spec. No.: -, Rpm: 44000, Temp.: - Deg. Cel., Sr. No.: 11808, Mfg.: -
	<b>Governor</b>	Make: Woodward, Type: UG-8 Part No.: 8521-349, Rpm: 700-1250, Sr. No.: 899201, Mfg: -
	<b>Alternator</b>	Make: Electro Mecanicas, Type: Isb560M/10 Kva: 1160, Kw: - Volt: 450, Rpm: 720, Hz: 60, Amp: 1488, PF: 0.8, Wt.: 7300 Kgs., Mfg.: -
	<b>08 Nos.</b>	
	<b>Air Compressor</b>	Make: Hamworthy, Type: 2SF42, 2SF4 & 2TF54, Sperre, HL2-160 (02, 02 , 02 & 01 Pcs.) Cap.: 60/30/120 & 114 M3/Hr, Press.: 8/30/30/30

<b>Air Compressor</b>		<b>Bar, Sr. No.:44240.05.06/44240.09/548-49 &amp; 160244, Rpm: 875/875/880 &amp; -, Year: 1989/1989/1989 &amp; - Elec. Motor:Make: ABB, Type: - Kw:10.5/26, V: 440/440, Amp: -/46, HZ: 60, Rpm: 875/1175, Year:-</b>
	<b>Deck Air Compressor</b>	<b>Make: Tamrotor, Type/Model: EM44-EANA (01 Pc.) Cap.: 6.0 M3/Hr, Press.: 8 Bar, Rpm: -, Power: 44 Kw/440 V/60 Hz, Sr. No.: 06980134, Year: 1998, Wt.: 545 Kg. Electric Motor-Make:-, Type: - Kw: -, V: -, Amp: --, HZ: -, Rpm: -, Wt.: - Kg,</b>
	<b>Emergency Air Compressor</b>	<b>Make: -, Type/Model: - Cap.: - M3/Hr, Press.: - Bar, Rpm: -, Power: - Kw, Sr. No.: -, Year Motor: Make &amp; Type: --</b>
<b>Oil Purifiers</b>	<b>05 Pcs.</b>	
	<b>Make &amp; Type</b>	<b>Alfa-Laval, WHPX413TGD-24-60 (01 Pc.), FOPX613TFD24-60 (02 Pcs.) &amp; WHPX405TGD24-60 902 Pcs.) Cap.: - L/Hr, Rpm/Rc: 1700-1800/142-150, Motor : ---- Kw, Wt.: - Kg., Sr. No.: 4043746/409467-68/4054783-84, Year: -</b>
	<b>EPC Panel</b>	<b>Make : ---, Type: --</b>
<b>Emergency Diesel Generator</b>	<b>01 Set</b>	
	<b>Make &amp; Model</b>	<b>Caterpillar, 3308 B Rating: 197 Hp, Rpm: 1800, Sr. No.: 85Z05098, Year: -</b>
	<b>Alternator</b>	<b>Make: Electro Mecanicas, Type: LSB-280-S/4 Kva: 150, Kw: -, Volt: 450,, Hz: 60, Amp: 192, Rpm: 1800, PF: 0.8, Wt.: 920 Kgs., Year: -</b>
<b>Fresh Water Distiller (Generator)</b>	<b>01 No.</b>	
	<b>Make &amp; Type/Model</b>	<b>Alfa-Laval, AQUA-100-HW Cap.: 25 M3/24H, Unit No.: AC-00140, Year: 2010-</b>
	<b>Salinometer Panel</b>	<b>Make: -, Model: DS-20</b>
<b>Oily Water Separator</b>	<b>01 Pc.</b>	
	<b>Make &amp; Model</b>	<b>Boss, Boss25T/107 Flow/Cap.: - L/hr, Max. Working Press.: - Bar, Net Wt.: - Kg, Sr. No.:880810, Year: -</b>
	<b>OMD Panel</b>	<b>Make:-, Type/Model: Bilgemon 488, Sr. No.: -, Year: --</b>

<b>Chilling Compressor/Air Conditioning Unit</b>	<b>07 Nos.</b>	
	<b>Refrigeration/Chilling Compressor</b>	<b>Make : Carrier, Stal &amp; Coperland, Type/Model: 5H40-149 (02 Pcs.), 52AC (04 Pcs.) &amp; No Tag (In Spare) Cap. - M3/Hr, Rpm: - , Press.: - Bar, Sr. No.: - /25/117509/11/51117/111567/116653, Year: -</b>
<b>Plate Heat Exchanger</b>	<b>Small Chilling Compressor</b>	<b>Make: , Model: - Sr. No.: -, Net Wt.: Kg, Year: -</b>
	<b>02 Pcs.Each</b>	
	<b>Make &amp; Type</b>	<b>Alfa-Laval, AM20-BFM, P2FH &amp; A15-BFM Sr. No.: 30100-26574-75/30100-96621/30100-26577, Year: All 1989</b>

**Ref # SP/19/11/E6/036**

**Piston Rod for M/E-MAN B & W, S60MC: -**

<b>Sr.No.</b>	<b>Description</b>	<b>Qty. Available (Pcs.)</b>	<b>Condition</b>	<b>Photos</b>
<b>Spare for M/E-MAN B &amp; W, S60MC</b>				
1	Piston Rod Marking:- NO (HN) KJ 577 NK F1 08-98	01	<b>Used / Good</b>	<b>Attached</b>



**Ref # SP/19/11/D6/023**

**ACCOMMODATION LADDER COMPLETE WITH PLATFORM & IT'S WINCH: -**

<b>Accommodation ladder, Complete with Platform &amp; It's Winch</b>	<b>02 Sets</b>	
	<b>Accommodation Ladder</b>	
	<b>Make</b>	<b>Lange M/C Group</b>
	<b>Ship No./Class</b>	<b>Y378 / NKK</b>
	<b>L x W x H</b>	<b>10,500mm x 600mm x 0.32m</b>

<b>Mfg. No.</b>	<b>20130701</b>
<b>Min.~Mx. Angle</b>	<b>20~50 Deg.</b>
<b>Design Load/Max. Operational. Load (S.W.L.)</b>	<b>3100/3100 Kg.</b>
<b>Max. Lower P/F Load</b>	<b>150 Kg.</b>
<b>Mfg. Date</b>	<b>07/2013</b>
<b>Pneumatic Accommodation Ladder Winch</b>	
<b>Make &amp; Type</b>	<b>China Jiangyan Hengshun, D010LPDD</b>
<b>Drum Winding Cap.</b>	<b>2 x 20 m</b>
<b>Working Load</b>	<b>10 KN</b>
<b>Serial No.</b>	<b>H313004</b>
<b>Holding Load</b>	<b>30 KN</b>
<b>Date</b>	<b>13 08</b>
<b>Normal Speed</b>	<b>85 m/min</b>
<b>Test Sign</b>	<b>NK 1786</b>
<b>Air Motor</b>	
<b>Make &amp; Type</b>	<b>Taizhou City Hengshun, TMYJ4-4</b>
<b>Cap.</b>	<b>4.4 Kw</b>
<b>Speed</b>	<b>800 Rpm</b>
<b>M.No.</b>	<b>130456</b>
<b>Air Press.</b>	<b>0.6 MPa/cm</b>
<b>Date</b>	<b>2013/08</b>
<b>Total Weight (01 Set)</b>	<b>1500 Kg. (Approx.)</b>
<b>CONDITION</b>	<b>Used + Good</b>





Ref # SP/19/11/E3/016

**MAIN AIR COMPRESSOR-J.P. SAUER & SOHN, WP310L-100: -**

	<b>01 Pc.</b>	<b>(With Elec. Motor)</b>
	<b>Make &amp; Type</b>	<b>J.P. Sauer &amp; Sohn, WP310L-100</b>
	<b>Year</b>	<b>1996</b>
	<b>Work No.</b>	<b>83422</b>
	<b>Cap.</b>	<b>300 m3/hr</b>
<b>Main Air Compressor</b>	<b>Press.</b>	<b>30 bar</b>
	<b>Power Req.</b>	<b>60 kW</b>
	<b>Speed</b>	<b>1470 rpm</b>
	<b>El. Motor</b>	<b>Available</b>
	<b>Make</b>	<b>Brook Hansen (England)</b>
	<b>Rating</b>	<b>55 Kw, 108 A, 380 V, 50 HZ, 0.89 PF, 1470 Rpm</b>
<b>CONDITION</b>	<b>Used + Good</b>	



**Ref # SP/19/11/E7/052**

**SPARES FOR A/E-Yanmar, 6 N 18 AL: -**

Sr.No.	Description	Qty. Avble	Condition
01	CRANK PIN BEARING (UPPER + LOWER SHELL) (YANMAR-P.N0-146673-23380)	03 SETS.	<b>UNUSED (ORIGINAL JAPANESE)</b>



**Ref # SP/19/11/D6/024**

**AIR STARTER MOTOR-TDI TURBOSTART, 45MA27751-001: -**

Srl. No.	Item Description	Qty. Avabl.	Condition
01	<b>Air Starter Motor:-</b> <b>Make : TDI Turbostart Two</b> <b>TDI Part No.: 45MA27751-001</b> <b>Yanmar Part No.: 45MA-301R-106-2-6K</b> <b>104 0211</b> <b>Air Max. Press.: 150 PSIG</b>	<b>03 Pcs.</b>	<b>Used + Good</b>



**Ref # SP/19/11/E3/017**

**Fresh Arrival of Main Air Compressor-Yanmar, SC-60 N: -**

<b>MAIN AIR COMPRESSOR</b>	<b>02 Pcs.</b>	(Without Elec. Motor)
	MAKE & MODEL	Yanmar, SC60N
	Disch. Press.	25 Kg./Cm2

	Revolution	900 Rpm
	Power Req.	72 Ps
<b>CONDITION</b>	<b>USED + GOOD (PHOTOS ATTACHED)</b>	

Ref # SP/FA/19/11/031: -

**MONTHLY LIST OF THE VESSELS BEACHED AT THE INDIAN DEMOLITION YARDS;  
NOVEMBER - 2019**

<b>S.NO.</b>	<b>NAME OF VESSEL</b>	<b>TYPE</b>	<b>L.D.T.</b>	<b>IMO No.</b>
1	JAOHAR UK	B/Carrier	3249.01	8005721
2	OMKARA PREM	Dredger	3400.9	9521576
3	ALEKSANDER SIBIYAKOV	G/CARGO	4174	8603377
4	ARCTIC PEARL	G/CARGO	11100	8512956
5	AL HAML	SUPPLY	295.3	8301125
6	ASD JAGUAR	SUPPLY	1667.12	7423861
7	EVER UNIQUE	CONTAINERS	24048	9116606
8	PETRA 1	RORO	2010	7812907
9	WAN CHAI 1	CONTAINERS	6898	8914025
10	LUCIA	REEFER	7010.3	8816170
11	HYUNDAI	PLATFORM	14954.53	7324821